

Table 2. North Pennine Moors SPA Breeding Bird Survey 2005-07: Numbers and densities* of adults (red grouse, black grouse, skylark, meadow pipit and carrion crow) or pairs (all other species) found on each SSSI.

Species	Geltsdale		Whitfield		Allendale		Hexhamshire		Muggleswick		Moorhouse	
	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density
Little grebe	0	0	1	0.01	0	0	0	0	1	0.01	0	0
Great crested grebe	0	0	0	0	0	0	0	0	P	0	0	0
Mute swan	1	0.01	0	0	0	0	0	0	0	0	0	0
Greylag goose	0	0	8	0.11	0	0	6	0.06	14	0.15	11	0.08
Canada goose	7	0.09	42	0.59	4	0.08	11	0.12	8	0.09	4	0.03
Shelduck (possible breeding)	0	0	0	0	0	0	0	0	0	0	0	0
Wigeon	0	0	1	0.01	0	0	1	0.01	1	0.01	0	0
Wigeon (possible breeding)	0	0	3	0.04	0	0	0	0	5	0.05	1	0.01
Teal	0	0	1	0.01	1	0.02	0	0	3	0.03	0	0
Teal (possible breeding)	0	0	7	0.10	4	0.08	2	0.02	6	0.07	9	0.07
Mallard	4	0.05	5	0.07	0	0	1	0.01	2	0.02	0	0
Mallard (possible breeding)	5	0.06	5	0.07	4	0.08	5	0.05	6	0.07	17	0.12
Shoveler (possible breeding)	0	0	0	0	0	0	0	0	0	0	0	0
Tufted duck	0	0	1	0.01	0	0	0	0	0	0	0	0
Tufted duck (possible breeding)	2	0.03	6	0.08	2	0.04	0	0	4	0.04	0	0
RBM (possible breeding)	0	0	0	0	0	0	0	0	0	0	0	0
Goosander	0	0	0	0	0	0	1	0.01	0	0	2	0.01
Goosander (possible breeding)	0	0	1	0.01	0	0	0	0	0	0	0	0
Red kite	0	0	0	0	0	0	0	0	Fg	0	Fg	0
Hen harrier	BC	~	P	0	0	0	P	0	0	0	BC	~
Goshawk	P	0.00	0	0	0	0	0	0	Fg	0	P	0
Buzzard	P	0	5	0.07	P	0	P	0	P	0	1	0.01
Osprey	Fg	0	0	0	0	0	0	0	Fg	0	0	0
Kestrel	1	0.01	0	0	P	0	P	0	P	0	3	0.02
Merlin	BC	~	P	0	BC	~	BC	~	BC	~	BC	~
Peregrine	BC	~	P	0	P	0	P	0	P	0	BC	~
Red grouse	375	4.73	559	7.89	138	2.61	593	6.29	651	7.14	700	5.11
Black grouse (male)	5	0.06	21	0.30	68	1.29	32	0.34	15	0.16	24	0.18
Black grouse (female)	11	0.13	22	0.30	51	0.97	43	0.46	13	0.14	21	0.15
Red-legged partridge	0	0	18	0.25	6	0.11	4	0.04	0	0	0	0
Grey partridge	0	0	6	0.08	16	0.30	30	0.32	29	0.32	1	0.01
Moorhen	0	0	3	0.04	P	0	0	0	P	0	1	0.01
Coot	0	0	0	0	0	0	0	0	0	0	0	0
Oystercatcher	5	0.06	45	0.63	34	0.64	48	0.51	49	0.54	7	0.05
Ringed plover	0	0	0	0	0	0	0	0	1	0.01	0	0

*Recorded on open ground surveyed (i.e. excluding woodland)

BC = Breeding (data confidential)

Fg = Foraging but certainly not breeding

P = Present but no evidence of breeding

PM = passage migrants only.

Table 2. North Pennine Moors SPA Breeding Bird Survey 2005-07: Numbers and densities* of adults (red grouse, black grouse, skylark, meadow pipit and carrion crow) or pairs (all other species) found on each SSSI.

Species	Geltsdale		Whitfield		Allendale		Hexhamshire		Muggleswick		Moorhouse	
	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density
Dotterel	0	0	0	0	0	0	0	0	0	0	PM	0
Golden plover	100	1.26	194	2.74	198	3.75	351	3.72	375	4.11	297	2.17
Lapwing	48	0.61	520	7.34	480	9.09	655	6.94	449	4.92	37	0.27
Dunlin	0	0	2	0.03	22	0.42	8	0.08	2	0.02	36	0.26
Snipe	29	0.37	260	3.67	226	4.28	348	3.69	237	2.60	43	0.31
Curlew	121	1.53	473	6.67	395	7.48	711	7.54	351	3.85	249	1.82
Redshank	5	0.06	81	1.14	78	1.48	87	0.92	27	0.30	4	0.03
Common sandpiper	2	0.03	0	0	2	0.04	1	0.01	5	0.05	22	0.16
Black-headed gull	1	0.01	6	0.08	424	8.03	3	0.03	435	4.77	P	0
Common gull	0	0	0	0	0	0	0	0	P	0	0	0
Lesser black-backed gull	0	0	1	0.01	P	0	P	0	P	0	0	0
Herring gull	0	0	0	0	P	0	0	0	P	0	0	0
Cuckoo	2	0.03	1	0.01	0	0	6	0.06	6	0.07	0	0
Little owl	0	0	0	0	0	0	0	0	0	0	0	0
Short-eared owl	1	0.01	P	0	2	0.04	P	0	1	0.01	1	0.01
Skylark	183	2.31	374	5.28	534	10.11	709	7.52	352	3.86	400	2.92
Sand martin	1	0.01	10	0.14	0	0	0	0	0	0	0	0
Meadow pipit	1874	23.63	1662	23.45	1264	23.93	2744	29.09	2162	23.71	2691	19.63
Yellow wagtail	0	0.00	0	0	0	0	0	0	0	0	0	0
Grey wagtail	3	0.04	2	0.03	3	0.06	3	0.03	4	0.04	25	0.18
Pied wagtail	P	0	2	0.03	2	0.04	P	0	P	0	1	0.01
Dipper	1	0.01	2	0.03	1	0.02	1	0.01	P	0	5	0.04
Wren	339	4.27	123	1.74	64	1.21	217	2.30	194	2.13	240	1.75
Whinchat	64	0.81	1	0.01	2	0.04	4	0.04	3	0.03	11	0.08
Stonechat	46	0.58	25	0.35	6	0.11	40	0.42	32	0.35	18	0.13
Wheatear	13	0.16	0	0	P	0	3	0.03	20	0.22	87	0.63
Ring ouzel	10	0.13	1	0.01	3	0.06	17	0.18	29	0.32	11	0.08
Grasshopper warbler	6	0.08	0	0	0	0	0	0	0	0	0	0
Whitethroat	0	0	0	0	0	0	0	0	0	0	0	0
Carrion crow	60	0.76	38	0.54	24	0.45	11	0.12	2	0.02	29	0.21
Raven	P	0	P	0	P	0	P	0	0	0	P	0
Linnet	0	0	0	0	0	0	P	0	5	0.05	1	0.01
Twite	0	0	0	0	0	0	0	0	0	0	0	0
Reed bunting	33	0.42	7	0.10	10	0.19	4	0.04	31	0.34	13	0.09
Reed bunting (probable)	3	0.04	2	0.03	2	0.04	3	0.03	9	0.10	1	0.01

*Recorded on open ground surveyed (i.e. excluding woodland)

BC = Breeding (data confidential)

Fg = Foraging but certainly not breeding

P = Present but no evidence of breeding

PM = passage migrants only.

Table 2. North Pennine Moors SPA Breeding Bird Survey 2005-07: Numbers and densities* of adults (red grouse, black grouse, skylark, meadow pipit and carrion crow) or pairs (all other species) found on each SSSI.

Species	Appleby Fells		Upper Teesdale		Lune Forest		Bollilhope		Cotherstone		Bowes Moor	
	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density
Little grebe	0	0	0	0	0	0	0	0	0	0	0	0
Great crested grebe	0	0	0	0	0	0	0	0	0	0	0	0
Mute swan	0	0	0	0	0	0	0	0	0	0	0	0
Greylag goose	4	0.04	5	0.04	5	0.08	36	0.45	7	0.29	14	0.31
Canada goose	6	0.06	3	0.02	31	0.49	0	0	7	0.29	23	0.52
Shelduck (possible breeding)	0	0	0	0	0	0	0	0	0	0	0	0
Wigeon	0	0	0	0	0	0	3	0.04	0	0	3	0.07
Wigeon (possible breeding)	0	0	4	0.03	7	0.11	1	0.01	2	0.08	6	0.13
Teal	1	0.01	5	0.04	0	0	0	0	0	0	0	0
Teal (possible breeding)	4	0.04	10	0.07	3	0.05	4	0.05	0	0	6	0.13
Mallard	5	0.05	4	0.03	2	0.03	0	0	0	0	4	0.09
Mallard (possible breeding)	19	0.18	47	0.34	24	0.38	9	0.11	7	0.29	11	0.25
Shoveler (possible breeding)	0	0	0	0	0	0	0	0	0	0	0	0
Tufted duck	0	0	P	0	0	0	0	0	0	0	0	0
Tufted duck (possible breeding)	0	0	0	0	0	0	1	0.01	0	0	0	0
RBM (possible breeding)	0	0	1	0.01	0	0	0	0	0	0	0	0
Goosander	0	0	0	0	0	0	0	0	0	0	P	0
Goosander (possible breeding)	3	0.03	1	0.01	2	0.03	0	0	0	0	0	0
Red kite	0	0	Fg	0	Fg	0	Fg	0	0	0	0	0
Hen harrier	0	0	0	0	0	0	0	0	0	0	0	0
Goshawk	0	0	0	0	0	0	Fg	0	0	0	0	0
Buzzard	5	0.05	P	0	P	0	P	0	P	0	P	0
Osprey	0	0	0	0	0	0	Fg	0	0	0	Fg	0
Kestrel	P	0	5	0.04	P	0	2	0.03	P	0	P	0
Merlin	BC	~	BC	~	BC	~	BC	~	P	0	BC	~
Peregrine	BC	~	P	0	P	0	P	0	P	0	P	0
Red grouse	371	3.49	714	5.12	588	9.28	396	4.98	221	9.02	370	8.30
Black grouse (male)	19	0.18	111	0.80	8	0.13	27	0.34	7	0.29	0	0
Black grouse (female)	14	0.13	84	0.60	24	0.38	29	0.36	5	0.20	4	0.09
Red-legged partridge	1	0.01	2	0.01	3	0.05	1	0.01	3	0.12	1	0.02
Grey partridge	8	0.08	42	0.30	6	0.09	15	0.19	1	0.04	2	0.04
Moorhen	0	0	P	0	0	0	1	0.01	0	0	0	0
Coot	0	0	0	0	0	0	1	0.01	0	0	0	0
Oystercatcher	4	0.04	84	0.60	64	1.01	10	0.13	7	0.29	17	0.38
Ringed plover	0	0	2	0.01	P	0	0	0	0	0	0	0

*Recorded on open ground surveyed (i.e. excluding woodland)

BC = Breeding (data confidential)

Fg = Foraging but certainly not breeding

P = Present but no evidence of breeding

PM = passage migrants only.

Table 2. North Pennine Moors SPA Breeding Bird Survey 2005-07: Numbers and densities* of adults (red grouse, black grouse, skylark, meadow pipit and carrion crow) or pairs (all other species) found on each SSSI.

Species	Appleby Fells		Upper Teesdale		Lune Forest		Bollilhope		Cotherstone		Bowes Moor	
	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density
Dotterel	0	0	0	0	PM	0	0	0	0	0	0	0
Golden plover	255	2.40	602	4.32	249	3.93	362	4.55	45	1.84	162	3.63
Lapwing	87	0.82	853	6.12	276	4.36	187	2.35	31	1.27	84	1.88
Dunlin	40	0.38	35	0.25	5	0.08	4	0.05	4	0.16	3	0.07
Snipe	36	0.34	178	1.28	59	0.93	81	1.02	23	0.94	21	0.47
Curlew	152	1.43	489	3.51	214	3.38	344	4.33	188	7.68	224	5.03
Redshank	3	0.03	96	0.69	36	0.57	19	0.24	13	0.53	9	0.20
Common sandpiper	10	0.09	39	0.28	11	0.17	3	0.04	0	0	7	0.16
Black-headed gull	18	0.17	226	1.62	30	0.47	3	0.04	0	0	36	0.81
Common gull	0	0	P	0	1	0.02	0	0	0	0	0	0
Lesser black-backed gull	P	0	0	0	0	0	0	0	P	0	4	0.09
Herring gull	0	0	0	0	0	0	0	0	0	0	0	0
Cuckoo	4	0.04	3	0.02	0	0	8	0.10	2	0.08	0	0
Little owl	0	0	0	0	0	0	0	0	0	0	0	0
Short-eared owl	2	0.02	1	0	P	0	P	0	1	0.04	2	0.04
Skylark	408	3.84	435	3.12	151	2.38	238	2.99	77	3.14	43	0.96
Sand martin	0	0	8	0.06	0	0	0	0	0	0	0	0
Meadow pipit	2240	21.06	2603	18.68	1543	24.36	1680	21.13	399	16.29	531	11.91
Yellow wagtail	0	0	1	0.01	0	0	0	0	P	0	0	0
Grey wagtail	15	0.14	10	0.07	3	0.05	4	0.05	1	0.04	P	0
Pied wagtail	P	0	7	0.05	4	0.06	3	0.04	0	0	2	0.04
Dipper	P	0	8	0.06	1	0.02	2	0.03	0	0	1	0.02
Wren	226	2.13	186	1.33	127	2.01	144	1.81	37	1.51	43	0.96
Whinchat	6	0.06	P	0	1	0.02	2	0.03	0	0	0	0
Stonechat	28	0.26	9	0.06	4	0.06	22	0.28	0	0	3	0.07
Wheatear	132	1.24	58	0.42	10	0.16	60	0.75	0	0	3	0.07
Ring ouzel	5	0.05	32	0.23	4	0.06	10	0.13	0	0	3	0.07
Grasshopper warbler	0	0	0	0	0	0	0	0	0	0	0	0
Whitethroat	0	0	0	0	0	0	0	0	0	0	0	0
Carrion crow	112	1.05	7	0.05	9	0.14	4	0.05	1	0.04	3	0.07
Raven	P	0	P	0	P	0	P	0	0	0	P	0
Linnet	9	0.08	P	0	0	0	12	0.15	0	0	1	0.02
Twite	0	0	0	0	0	0	0	0	0	0	0	0
Reed bunting	13	0.12	4	0.03	2	0.03	19	0.24	1	0.04	0	0
Reed bunting (probable)	1	0.01	2	0.01	1	0.02	1	0.01	0	0	2	0.04

*Recorded on open ground surveyed (i.e. excluding woodland)

BC = Breeding (data confidential)

Fg = Foraging but certainly not breeding

P = Present but no evidence of breeding

PM = passage migrants only.

Table 2. North Pennine Moors SPA Breeding Bird Survey 2005-07: Numbers and densities* of adults (red grouse, black grouse, skylark, meadow pipit and carrion crow) or pairs (all other species) found on each SSSI.

Species	Mallerstang		Arkengarthdale		Lovely Seat		East Nidderdale		West Nidderdale		SPA total	
	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density
Little grebe	0	0	0	0	0	0	0	0	0	0	2	<0.01
Great crested grebe	0	0	0	0	0	0	0	0	0	0	P	0
Mute swan	0	0	0	0	0	0	0	0	0	0	1	<0.01
Greylag goose	0	0	5	0.07	14	0.14	52	0.49	52	0.39	233	0.16
Canada goose	1	0.02	3	0.04	3	0.03	16	0.15	111	0.83	280	0.19
Shelduck (possible breeding)	0	0	0	0	2	0.02	0	0	0	0	2	<0.01
Wigeon	0	0	4	0.05	3	0.03	0	0	0	0	16	0.01
Wigeon (possible breeding)	1	0.02	3	0.04	8	0.08	0	0	4	0.03	45	0.03
Teal	1	0.02	1	0.01	2	0.02	1	0.01	7	0.05	23	0.02
Teal (possible breeding)	0	0	5	0.07	9	0.09	4	0.04	5	0.04	78	0.05
Mallard	0	0	1	0.01	2	0.02	2	0.02	4	0.03	36	0.02
Mallard (possible breeding)	9	0.14	13	0.17	15	0.15	5	0.05	17	0.13	218	0.15
Shoveler (possible breeding)	0	0	0	0	1	0.01	0	0	0	0	1	<0.01
Tufted duck	P	0	0	0	0	0	2	0.02	0	0	3	<0.01
Tufted duck (possible breeding)	0	0	0	0	3	0.03	0	0	0	0	18	0.01
RBM (possible breeding)	0	0	0	0	0	0	0	0	0	0	1	<0.01
Goosander	0	0	0	0	0	0	0	0	0	0	3	<0.01
Goosander (possible breeding)	0	0	1	0.01	0	0	0	0	0	0	8	0.01
Red kite	0	0	0	0	Fg	0	0	0	Fg	0	Fg	0
Hen harrier	0	0	0	0	P	0	P	0	0	0	BC	~
Goshawk	0	0	0	0	0	0	0	0	Fg	0	P	0
Buzzard	P	0	P	0	P	0	1	0.01	1	0.01	13	0.01
Osprey	0	0	0	0	0	0	0	0	Fg	0	Fg	0
Kestrel	P	0	P	0	P	0	1	0.01	4	0.03	16	0.01
Merlin	BC	~	BC	~	BC	~	BC	~	BC	~	BC	~
Peregrine	P	0	P	0	P	0	P	0	P	0	BC	~
Red grouse	167	2.68	594	7.88	967	9.57	681	6.40	917	6.87	9002	6.16
Black grouse (male)	14	0.22	14	0.19	1	0.01	0	0	0	0	502	0.34
Black grouse (female)	5	0.08	3	0.04	1	0.01	0	0	0	0	459	0.31
Red-legged partridge	0	0	0	0	9	0.09	2	0.02	63	0.47	113	0.08
Grey partridge	1	0.02	4	0.05	9	0.09	4	0.04	11	0.08	185	0.13
Moorhen	0	0	1	0.01	1	0.01	0	0	0	0	7	<0.01
Coot	0	0	0	0	2	0.02	0	0	0	0	3	<0.01
Oystercatcher	5	0.08	20	0.27	3	0.03	44	0.41	44	0.33	490	0.34
Ringed plover	0	0	0	0	0	0	0	0	0	0	3	<0.01

*Recorded on open ground surveyed (i.e. excluding woodland)

BC = Breeding (data confidential)

Fg = Foraging but certainly not breeding

P = Present but no evidence of breeding

PM = passage migrants only.

Table 2. North Pennine Moors SPA Breeding Bird Survey 2005-07: Numbers and densities* of adults (red grouse, black grouse, skylark, meadow pipit and carrion crow) or pairs (all other species) found on each SSSI.

Species	Mallerstang		Arkengarthdale		Lovely Seat		East Nidderdale		West Nidderdale		SPA total	
	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density	No.	Density
Dotterel	0	0	0	0	0	0	0	0	0	0	PM	0
Golden plover	200	3.21	247	3.28	278	2.75	115	1.08	141	1.06	4171	2.85
Lapwing	40	0.64	163	2.16	188	1.86	132	1.24	159	1.19	4389	3.00
Dunlin	20	0.32	P	0	5	0.05	0	0	0	0	186	0.13
Snipe	24	0.39	55	0.73	52	0.51	51	0.48	63	0.47	1786	1.22
Curlew	142	2.28	204	2.71	202	2.00	326	3.06	669	5.01	5454	3.73
Redshank	5	0.08	18	0.24	11	0.11	19	0.18	11	0.08	522	0.36
Common sandpiper	6	0.10	5	0.07	1	0.01	0	0	1	0.01	115	0.08
Black-headed gull	0	0	3	0.04	214	2.12	480	4.51	1176	8.81	3055	2.09
Common gull	0	0	0	0	0	0	0	0	0	0	1	<0.01
Lesser black-backed gull	0	0	0	0	0	0	45	0.42	P	0	50	0.03
Herring gull	0	0	0	0	0	0	0	0	0	0	P	0
Cuckoo	0	0	2	0.03	3	0.03	4	0.04	12	0.09	53	0.04
Little owl	0	0	0	0	0	0	0	0	3	0.02	3	<0.01
Short-eared owl	1	0.02	1	0.01	1	0.01	1	0.01	16	0.12	31	0.02
Skylark	136	2.18	176	2.34	124	1.23	71	0.67	185	1.39	4596	3.14
Sand martin	0	0	0	0	0	0	0	0	0	0	19	0.01
Meadow pipit	618	9.92	1166	15.47	2177	21.54	662	6.22	1923	14.41	27939	19.11
Yellow wagtail	0	0	0	0	0	0	0	0	0	0	1	<0.01
Grey wagtail	7	0.11	8	0.11	P	0	6	0.06	10	0.07	104	0.07
Pied wagtail	P	0	4	0.05	4	0.04	0	0	5	0.04	34	0.02
Dipper	P	0	2	0.03	2	0.02	3	0.03	1	0.01	30	0.02
Wren	95	1.52	237	3.15	276	2.73	125	1.17	345	2.59	3018	2.06
Whinchat	0	0	3	0.04	0	0	17	0.16	21	0.16	135	0.09
Stonechat	8	0.13	15	0.20	33	0.33	33	0.31	40	0.30	362	0.25
Wheatear	50	0.80	45	0.60	103	1.02	26	0.24	13	0.10	623	0.43
Ring ouzel	24	0.39	46	0.61	37	0.37	12	0.11	12	0.09	256	0.18
Grasshopper warbler	0	0	0	0	0	0	0	0	0	0	6	<0.01
Whitethroat	0	0	0	0	0	0	1	0.01	0	0	1	<0.01
Carrion crow	7	0.11	9	0.12	25	0.25	64	0.60	167	1.25	572	0.39
Raven	1	0.02	P	0	P	0	P	0	P	0	1	<0.01
Linnet	0	0.00	2	0.03	3	0.03	22	0.21	24	0.18	79	0.05
Twite	0	0	0	0	0	0	0	0	P	0	P	0
Reed bunting	0	0	0	0	20	0.20	9	0.08	52	0.39	218	0.15
Reed bunting (probable)	1	0.02	2	0.03	3	0.03	1	0.01	16	0.12	50	0.03

*Recorded on open ground surveyed (i.e. excluding woodland)

BC = Breeding (data confidential)

Fg = Foraging but certainly not breeding

P = Present but no evidence of breeding

PM = passage migrants only.

Table 3. North Pennine Moors SPA Breeding Bird Survey 2005-07: The recognised conservation importance of species surveyed, numbers found and percentage of national (Great Britain) population breeding on the SPA.

Species	Conservation listings ¹	SPA population ²	Percentage of GB population	GB population (Baker <i>et al</i> 2006) ²
Little grebe	~	2	<1%	5,000-10,000
Mute swan	~	1	<1%	5,299
Greylag goose	~	233	1.2%	36,300 (adults)
Canada goose	~	280	<1%	82,000 (adults)
Wigeon	~	16-61	3.2 - 20.3%	300-500
Teal	~	23-101	0.9 - 6.7%	1,500-2,600
Mallard	~	36-254	<1%	47,700-114,400
Tufted duck	~	3	<1%	7,000-8,000
Goosander	~	3	<1%	2,600
Buzzard	~	13	<1%	31,100-44,000
Kestrel	~	16	<1%	35,400
Red grouse	~	9,002 adults	2.9%	154,700
Black grouse	BoCC red list	502 males	7.7%	6,510 (males)
Red-legged partridge	~	113	<1%	72,000-200,000
Grey partridge	BoCC red list	185	<1%	70,000-75,000
Moorhen	~	7	<1%	240,000
Coot	~	3	<1%	21,700-27,600
Oystercatcher	~	490	<1%	113,000
Ringed plover	~	3	<1%	8,400
Golden plover	Annex I	4,171	18.5%	22,600
Lapwing	~	4,389	2.9%	154,000
Dunlin	Annex I	186	1.9 - 2.0%	9,150-9,900
Snipe	~	1,786	3.4%	52,500
Curlew	~	5,454	5.2%	105,000
Redshank	~	522	1.4%	38,600
Common sandpiper	~	115	<1%	12,000
Black-headed gull	~	3,055	2.4%	127,907
Common gull	~	1	<1%	48,163
Lesser black-backed gull	~	50	<1%	110,101
Cuckoo	~	53	<1%	9,600-19,300
Little owl	~	3	<1%	5,800-11,600
Short-eared owl	Annex I	31	0.9 - 3.1%	1,000-3,500
Skylark	BoCC red list	4,596 adults	<1%	1,700,000
Sand martin	~	19	<1%	77,500-250,000
Meadow pipit	~	27,939 adults	<1%	1,600,000
Yellow wagtail	~	1	<1%	11,500-26,500
Grey wagtail	~	104	<1%	34,400-41,300
Pied wagtail	~	34	<1%	255,000-330,000
Dipper	~	30	<1%	6,350-19,100
Wren	~	3,018	<1%	8,000,000
Whinchat	~	135	<1%	14,000-28,000
Stonechat	~	362	1.6 - 4.3%	8,500-22,000
Wheatear	~	623	1.1%	55,000
Ring ouzel	BoCC red list	256	3.4 - 4.2%	6,157-7,549
Grasshopper warbler	BoCC red list	6	<1%	10,500
Whitethroat	~	1	<1%	931,000
Carrion crow	~	572 adults	<1%	790,000
Raven	~	1	<1%	12,000
Linnet	BoCC red list	79	<1%	535,000
Reed bunting	BoCC red list	218-268	<1%	176,000-193,000

¹Mention is made if the species is listed on Annex I of the EC Birds Directive 1979, on Schedule 1 of the Wildlife and Countryside Act 1981 or on the Birds of Conservation Concern 'red list'

²Pairs or territories unless otherwise stated